

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Revision Date 06/14/2018

Version 1.9

SECTION 1. Identification**Product identifier**

Product number	106462
Product name	Sodium hydroxide pellets EMPLURA®
CAS-No.	1310-73-2

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Chemical production, Reagent for analysis
-----------------	---

Details of the supplier of the safety data sheet

Company	Millipore (Canada) Ltd 109 Woodbine Downs Blvd. Unit 5 Etobicoke Ontario M9W 6Y1 Canada General Inquiries: +1 800-645-5476 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.
---------	---

Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week
---------------------	--

SECTION 2. Hazards identification**GHS Classification**

Corrosive to Metals, Category 1, H290
Skin corrosion, Category 1A, H314
Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling*Hazard pictograms**Signal Word*

Danger

Hazard Statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary Statements

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 106462
Product name Sodium hydroxide pellets EMPLURA®

Version 1.9

P234 Keep only in original container.
P260 Do not breathe dusts or mists.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing.
Rinse skin with water/ shower.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see supplemental first aid instructions on this label).
P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.
P405 Store locked up.
P406 Store in corrosive resistant stainless steel container with a resistant inner liner.
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula	NaOH	HNaO (Hill)
Molar mass	40.00 g/mol	

Hazardous ingredients

Chemical name (Concentration)

CAS-No.

sodium hydroxide (>= 90 % - <= 100 %)

1310-73-2

SECTION 4. First aid measures

Description of first-aid measures

General advice

First aider needs to protect himself.

Inhalation

After inhalation: fresh air. Call in physician.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 106462
Product name Sodium hydroxide pellets EMPLURA®

Version 1.9

Ingestion

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation!). Call a physician immediately. Do not attempt to neutralize.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Risk of blindness!

Irritation and corrosion, Cough, Shortness of breath, collapse, death

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 106462
Product name Sodium hydroxide pellets EMPLURA®

Version 1.9

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No aluminum, tin, or zinc containers.

No metal containers.

Tightly closed. Dry.

Store at +5°C to +30°C (+41°F to +86°F).

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis	Value	Threshold limits	Remarks
<i>sodium hydroxide 1310-73-2</i>			
CAD AB OEL	Ceiling Limit Value:	2 mg/m ³	
CAD BC OEL	Ceiling Limit Value:	2 mg/m ³	
CAD MB OEL	Ceiling Limit Value:	2 mg/m ³	
CAD ON OEL	Ceiling Limit Value (CEV):	2 mg/m ³	
OEL (QUE)	Ceiling Limit Value:	2 mg/m ³	

Recirculation prohibited

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0.11 mm
Break through time:	> 480 min

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 106462
Product name Sodium hydroxide pellets EMPLURA®

Version 1.9

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0.11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be properly documented.

SECTION 9. Physical and chemical properties

Physical state	solid
Color	white
Odor	odorless
Odor Threshold	Not applicable
pH	ca. > 14 at 100 g/l 68 °F (20 °C)
Melting point/range	606 - 612 °F (319 - 322 °C)
Boiling point/boiling range	2,534 °F (1,390 °C) at 1,013 hPa
Flash point	Not applicable
Evaporation rate	No information available.
Flammability (solid, gas)	The product is not flammable.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	106462	Version 1.9
Product name	Sodium hydroxide pellets EMPLURA®	

Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Vapor pressure	at 68 °F (20 °C) Not applicable
Relative vapor density	No information available.
Density	2.13 g/cm ³ at 68 °F (20 °C)
Relative density	No information available.
Water solubility	1,090 g/l at 68 °F (20 °C)
Partition coefficient: n-octanol/water	No information available.
Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none
Ignition temperature	Not applicable
Corrosion	May be corrosive to metals.

SECTION 10. Stability and reactivity

Reactivity

See below

Chemical stability

hygroscopic

Possibility of hazardous reactions

Violent reactions possible with:

Acetone, Chlorine, Ethylene oxide, Fluorine, Hydrogen halides, Hydrazine hydrate, hydroxylamine, Acid anhydrides, Acrolein, Acid chlorides, Acids, sulfuric acid, Chloroform, Water, hydrogen peroxide, anhydrides, EPICHLOROHYDRIN, phosphides, halogen-halogen compounds, trichloroethene, ALLYL ALCOHOL

can decompose violently in contact with:

Organic Substances, hydrogen sulfide

Risk of ignition or formation of inflammable gases or vapors with:

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 106462
Product name Sodium hydroxide pellets EMPLURA®

Version 1.9

powdered aluminum, Ammonium salts, persulfates, Sodium borohydride, phosphorus, Oxides of phosphorus, Halogenated hydrocarbon, Light metals, Metals

Risk of explosion/exothermic reaction with:

Bromine, Calcium, in powder form, furfuryl alcohol, Nitromethane, Peroxides, organic nitro compounds, Nitriles, Acrylic monomers, SILVER NITRATE

Chloroform, with, Acetone

Nitrobenzene, with, Methanol

Nitrobenzene, with, salts

magnesium, Zinc, and, Tin, (in the presence of atmospheric oxygen and/or moisture)

Conditions to avoid

Moisture.

Incompatible materials

Aluminum, brass, Metals, metal alloys, Zinc, Tin

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact, Ingestion

Acute oral toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute inhalation toxicity

Symptoms: burns of mucous membranes, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Corrosive to respiratory system.

Corrosive to respiratory system.

Skin irritation

Rabbit

Result: Causes burns.
(External MSDS)

Causes severe burns.

Eye irritation

Rabbit

Result: Irreversible effects on the eye
(ECHA)

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

106462

Version 1.9

Product name

Sodium hydroxide pellets EMPLURA®

Causes serious eye damage.

Risk of blindness!

Sensitization

Patch test: human

Result: negative

(ECHA)

Genotoxicity in vitro

Mutagenicity (mammal cell test): micronucleus.

Result: negative

(Lit.)

Ames test

Result: negative

(IUCLID)

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Further information

Systemic effects:

collapse, death

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

LC50 *Gambusia affinis* (Mosquito fish): 125 mg/l; 96 h (External MSDS)

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 106462
Product name Sodium hydroxide pellets EMPLURA®

Version 1.9

Toxicity to daphnia and other aquatic invertebrates

EC50 Ceriodaphnia (water flea): 40.4 mg/l; 48 h (ECHA)

Toxicity to bacteria

EC50 Photobacterium phosphoreum: 22 mg/l; 15 min (External MSDS)

Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

Additional ecological information

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Neutralization possible in waste water treatment plants.

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

UN number	UN 1823
Proper shipping name	SODIUM HYDROXIDE, SOLID
Class	8
Packing group	II
Environmentally hazardous	--

Air transport (IATA)

UN number	UN 1823
Proper shipping name	SODIUM HYDROXIDE, SOLID
Class	8
Packing group	II
Environmentally hazardous	--
Special precautions for user	no

Sea transport (IMDG)

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number	106462	Version 1.9
Product name	Sodium hydroxide pellets EMPLURA®	

UN number	UN 1823
Proper shipping name	SODIUM HYDROXIDE, SOLID
Class	8
Packing group	II
Environmentally hazardous	--
Special precautions for user	yes
EmS	F-A S-B

SECTION 15. Regulatory information

United States of America

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms



Signal Word

Danger

Hazard Statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number

106462

Version 1.9

Product name

Sodium hydroxide pellets EMPLURA®

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date 06/14/2018

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.