

Printing date 07/13/2022

Reviewed on 07/13/2022

1 Identification

- · Product identifier: D101-A
- · Trade name: CANTESCO® DEVELOPER D101 NONAQUEOUS WET
- · Item number(s): D101-A
- SDS Number: 13
- · UPC bar code(s): 699913-10370
- · Application of the substance / the mixture DEVELOPER
- Manufacturer/Supplier: WWW.CANTESCO.COM

USA ADDRESS: KEMPER SYSTEM AMERICA, INC. 1200 NORTH AMERICA DR, WEST SENECA, NY 14224 PH (716) 558-2971

CANADIAN ADDRESS: ASTARAS CANADA, INC. 4-7075 EDWARDS BLVD MISSISSAUGA, ONTARIO, L5S 1Z2 PH (905) 624-5463

- **Information department:** Tel: (716) 558-2971 ext. 228 www.cantesco.com
- Emergency telephone number: ChemTrec (800) 424-9300 / 1-(703)-741-5970 Canada only: CANUTEC (Call collect) (613) 996-6666

2 Hazard identification

Classification of the substance or mixture: GHS02 Flame		
Flammable Aerosols - Category 1	H222-H22	9 Extremely flammable aerosol. Pressurized container: may burst if heated.
GHS04 Gas cylinder		
Gases Under Pressure - Compressed Gas	H280	Contains gas under pressure; may explode if heated.
GHS07	11000	
Acute Toxicity (Inhalation) - Category 4	H332	Harmful if inhaled.
Eye Irritation - Category 2A	H319	Causes serious eye irritation.
Specific Target Organ Toxicity - Single Exposure - Category 3	H336	May cause drowsiness or dizziness.
Label elements		
GHS label elements The product is classified and labe	eled according	to the Globally Harmonized System (GHS). (Contd. on page

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® DEVELOPER D101 - NONAQUEOUS WET

Signal word:	(Contd. of page 1)
-	mining components of labeling:
acetone	mining components of labering.
Hazard state	ments:
	xtremely flammable aerosol.
	ontains gas under pressure; may explode if heated.
	armful if inhaled.
H319 C	auses serious eye irritation.
	fay cause drowsiness or dizziness.
	y statements:
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P312	IF INHALED: Call a POISON CENTER/doctor if you feel unwell.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P	2338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, it
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Information j	pertaining to particular dangers for man and environment:
NFPA ratings	s (scale 0 - 4):
	Health = 2
	Fire = 4

 $\begin{array}{c} \mathbf{0} \\ \mathbf{Fire} = 4 \\ \mathbf{Reactivity} = 0 \end{array}$

3 Composition/Information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerous 	components:	
67-64-1	acetone	30-60% w/w *
68476-86-8	Petroleum gases, liquefied, sweetened	15-40% w/w *
* 4 / 1		

* Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

· After inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/ physician if you feel unwell.

(Contd. on page 3)

CA

(Contd. of page 2)

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® DEVELOPER D101 - NONAQUEOUS WET

• After skin contact: Immediately rinse with water.

· After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

• After swallowing: If symptoms persist consult doctor.

• Most important symptoms and effects, both acute and delayed: No further relevant information available.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-fighting measures

• <u>Suitable extinguishing agents:</u> CO2, sand, extinguishing powder. Do not use water.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture: No further relevant information available.

Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures: Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

- <u>Reference to other sections:</u>
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Ensure precautions are taken to eliminate potential sources of ignition during use. It is recommended to use static grounding and bonding equipment to eliminate static problems. Additionally, these products should never be applied on or near live circuits or energized equipment.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

(Contd. on page 4)

CA -

(Contd. of page 3)

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® DEVELOPER D101 - NONAQUEOUS WET

· Storage

• Requirements to be met by storerooms and receptacles: Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• **Specific end use(s):** No further relevant information available.

8 Exposure controls/ Personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Components with limit values that require monitoring at the workplace:	
67-64-1 acetone	
EL (Canada) STEL: 500 ppm TWA: 250 ppm	
EV (Canada) STEL: 750 ppm TWA: 500 ppm	
PEL (USA) TWA: 2400 mg/m ³ , 1000 ppm	
REL (USA) TWA: 590 mg/m ³ , 250 ppm	
TLV (USA) STEL: 500 ppm TWA: 250 ppm A4, BEI	
Ingredients with biological limit values:	
67-64-1 acetone	
BEI (USA) 25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific)	
 Additional information: The lists that were valid during the creation were used as Personal protective equipment General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Use suitable respiratory protective device in case of insuffic. 	
Protective gloves The glove material has to be impermeable and resistant to the product/ the substance • Material of gloves: Butyl rubber, BR	e/ the preparation. (Contd. on page 5)

(Contd. on page 5)

[—] ĆA

(Contd. of page 4)

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® DEVELOPER D101 - NONAQUEOUS WET

Nitrile rubber, NBR · Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Form:	Liquid Under Pressure
· Color:	Cloudy
· Odor:	Mild
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-95.3 °C
Boiling point/Boiling range:	>56 °C
• <u>Flash point:</u>	-104 °C (Prop. (-17 °C Liq.))
· Flammability (solid, gaseous):	Extremely flammable liquefied gas.
· Ignition temperature:	465 °C
· Decomposition temperature:	Not determined.
· <u>Auto igniting:</u>	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits	
Lower:	2.6 Vol %
Upper:	13 Vol %
· Vapor pressure at 20 °C:	233 hPa
· Density at 20 °C:	0.715 g/cm ³
Relative density:	Not determined.
Vapor density at 20 °C:	2.0 (AIR=1)
• Evaporation rate at 20 °C:	>5.7 (BA=1)
· Solubility in / Miscibility with	
Water:	Emulsifiable.
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
	(Contd. on page 6)

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® DEVELOPER D101 - NONAQUEOUS WET

• Other information	VOC Content:	259.994 g/l	
	VOC %:	37%	
	HAP Content:	None	
	MIR Value:	0.588 g O ₃ /g	
	Heat of Combustion:		

10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects:

· Acute toxicity

· LD/LC50 values that are relevant for classification:

67-64-1 acetone

Oral LD50 5,800 mg/kg (rat)

Dermal LD50 20,000 mg/kg (rabbit)

- · Primary irritant effect
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7631-86-9 silicon dioxide, chemically prepared

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

· Aquatic toxicity: No further relevant information available.

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- · Additional ecological information
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 7)

3

۱-

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® DEVELOPER D101 - NONAQUEOUS WET

(Contd. of page 6)

• Other adverse effects: No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings

· Recommendation:

Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

· <u>UN-Number</u> · DOT/TDG, ADR, IMDG, IATA	UN1950
UN proper shipping name	
DOT/TDG	Aerosols, flammable
ADR	1950 AEROSOLS
IMDG	AEROSOLS
·IATA	AEROSOLS, flammable
Transport hazard class(es)	
· DOT/TDG (Transport dangerous good	s):
· Class	2.1 Gases
[.] Label	2.1
ADR	
· Class	2 5F Gases
Label	2.1
· IMDG, IATA	
Class	2.1 Gases
· Label	2.1
[·] <u>Packing group</u> · DOT/TDG, ADR, IMDG, IATA	Not regulated
	(Contd. on pa

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® DEVELOPER D101 - NONAQUEOUS WET

	(Contd. of page
Environmental hazards: Marine pollutant:	No
Special precautions for user:	Warning: Gases
Hazard identification number (Kemler code)	
EMS Number: Stowage Code	F-D,S-U SW1 Protected from sources of heat.
Segregation Code	SW22 For AEROSOLS with a maximum capacity of 1 litre Category A. For AEROSOLS with a capacity above 1 litre Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.
Transport/Additional information:	
DOT/TDG	
Quantity limitations	On passenger aircraft/rail: 75 kg
Remarks:	On cargo aircraft only: 150 kg This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shippin requirements are met.
ADR	This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shippin requirements are met.
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
Remarks:	Not permitted as Excepted Quantity This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shippin requirements are met.
IATA Remarks:	This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shippin requirements are met.

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

- CA -

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® DEVELOPER D101 - NONAQUEOUS WET

· Sara · Section 355 (extre	nely hazardous substances).
None of the ingred	•
	ic toxic chemical listings):
None of the ingred	
All ingredients are	tances Control Act):
· Proposition 65	isted or exempted
· Chemicals known	to cause cancer.
None of the ingred	
	to cause reproductive toxicity for females:
None of the ingred	· ·
None of the ingred	to cause reproductive toxicity for males:
5	
	to cause developmental toxicity:
None of the ingred	
· Canadian substan	
	c Substances List (DSL/NDSL):
All ingredients are	
	mestic Substances List (NDSL)
None of the ingred	
0	ent Disclosure list (limit 0.1%):
None of the ingred	ents is listed.
	nt Disclosure list (limit 1%):
67-64-1 acetone	
	lioxide, chemically prepared
GHS label elemen Hazard pictogram	s The product is classified and labeled according to the Globally Harmonized System (GHS). s GHS07
· Signal word Dang	
	ng components of labeling:
	ely flammable aerosol. ns gas under pressure; may explode if heated.

16 Other information

This SDS format meets ANSI Z400.1-2010, OSHA 1910.1200 and WHMIS requirements. Kemper System America, Inc. provides the information contained herein in good faith but makes no representation as to its

(Contd. on page 10) - CA

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® DEVELOPER D101 - NONAQUEOUS WET

(Contd. of page 9)

comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Kemper System America, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made. Kemper System America, Inc is an ISO 9001:2015 and ISO 14001:2015 registered company.
 Department issuing SDS: Product safety department
 Contact: Stephen Nowicki
 Date of the latest revision of the safety data sheet 07/13/2022 / 2
 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent



Printing date 07/13/2022

Reviewed on 07/13/2022

1 Identification

- · Product identifier: C101-A
- · Trade name: CANTESCO® SOLVENT CLEANER C101 STANDARD
- · Item number(s): C101-A
- SDS Number: 12
- · UPC bar code(s): 699913-10385
- · Application of the substance / the mixture SOLVENT CLEANER
- Manufacturer/Supplier: WWW.CANTESCO.COM

USA ADDRESS: KEMPER SYSTEM AMERICA, INC. 1200 NORTH AMERICA DR, WEST SENECA, NY 14224 PH (716) 558-2971

CANADIAN ADDRESS: ASTARAS CANADA, INC. 4-7075 EDWARDS BLVD MISSISSAUGA, ONTARIO, L5S 1Z2 PH (905) 624-5463

- **Information department:** Tel: (716) 558-2971 ext. 228 www.cantesco.com
- Emergency telephone number: ChemTrec (800) 424-9300 / 1-(703)-741-5970 Canada only: CANUTEC (Call collect) (613) 996-6666

2 Hazard identification

Flammable Aerosols - Category 1	H222-H229	Extremely flammable aerosol. Pressurized container: may burst if heated.
GHS04 Gas cylinder		
Gases Under Pressure - Compressed Gas	H280	Contains gas under pressure; may explode if heated.
GHS08 Health hazard		
Specific Target Organ Toxicity - Single Exposure - Category 1	H370	Causes damage to organs.

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

Printing date 07/13/2022

Reviewed on 07/13/2022

(Contd. of page 1) Eye Irritation - Category 2A H319 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure -H336 May cause drowsiness or dizziness. Category 3 · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Signal word: Danger · Hazard-determining components of labeling: propan-2-ol acetone butanone Hazard statements: H222-H229 Extremely flammable aerosol. Contains gas under pressure; may explode if heated. H280 H319 Causes serious eye irritation. H370 Causes damage to organs. May cause drowsiness or dizziness. H336 · Precautionary statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P260 Do not breathe mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P304+P312 IF INHALED: Call a doctor if you feel unwell. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P311 IF exposed or concerned: Call a poison center/doctor. P337+P313 If eye irritation persists: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Information pertaining to particular dangers for man and environment: · NFPA ratings (scale 0 - 4): Health = 2Fire = 4Reactivity = 0

3 Composition/Information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

		(Contd. of page
Dangerous c	omponents:	
64742-47-8	Distillates (petroleum), hydrotreated light	30-60% w/w *
68476-86-8	Petroleum gases, liquefied, sweetened	10-30% w/w *
67-63-0	propan-2-ol	≥10-<20% w/w
67-64-1	acetone	10% w/w
78-93-3	butanone	3-7% w/w *
108-65-6	2-methoxy-1-methylethyl acetate	1-5% w/w *

* Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

- · General information: Symptoms of poisoning may even occur after several hours.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

· After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

- After swallowing: If swallowed, do not induce vomiting. Get medical attention right away.
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:
- No further relevant information available.

5 Fire-fighting measures

• Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture: No further relevant information available.
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- <u>Personal precautions, protective equipment and emergency procedures:</u> Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- <u>Methods and material for containment and cleaning up:</u> Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

CA

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

(Contd. of page 3)

See Section 13 for disposal information.

7 Handling and storage

· Handling

- · Precautions for safe handling:
- Ensure precautions are taken to eliminate potential sources of ignition during use. It is recommended to use static grounding and bonding equipment to eliminate static problems. Additionally, these products should never be applied on or near live circuits or energized equipment.
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- [•] Information about protection against explosions and fires:
- Do not spray on a naked flame or any incandescent material.
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- Keep respiratory protective device available.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · Storage
- · Requirements to be met by storerooms and receptacles:
- Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

- Protect from heat and direct sunlight.
- **Specific end use(s):** No further relevant information available.

8 Exposure controls/ Personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Components	Components with limit values that require monitoring at the workplace:	
64742-47-8 Di	64742-47-8 Distillates (petroleum), hydrotreated light	
EL (Canada)	TWA: 200 mg/m ³ Skin	
67-63-0 propa	nn-2-ol	
EL (Canada)	STEL: 400 ppm TWA: 200 ppm	
EV (Canada)	STEL: 400 ppm TWA: 200 ppm	
PEL (USA)	TWA: 980 mg/m ³ , 400 ppm	
REL (USA)	STEL: 1225 mg/m ³ , 500 ppm TWA: 980 mg/m ³ , 400 ppm	
TLV (USA)	STEL: 400 ppm TWA: 200 ppm BEI, A4	
	(Contd. on page 5)	

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

67-64-1 acetor	ie	
EL (Canada)	STEL: 500 ppm TWA: 250 ppm	
EV (Canada)	STEL: 750 ppm	
· · /	TWA: 500 ppm	
PEL (USA)	TWA: 2400 mg/m ³ , 1000 ppm	
REL (USA)	TWA: 590 mg/m ³ , 250 ppm	
TLV (USA)	STEL: 500 ppm TWA: 250 ppm A4, BEI	
78-93-3 butan		
EL (Canada)	STEL: 100 ppm TWA: 50 ppm	
EV (Canada)	STEL: 885 mg/m ³ , 300 ppm TWA: 590 mg/m ³ , 200 ppm	
PEL (USA)	TWA: 590 mg/m ³ , 200 ppm	
REL (USA)	STEL: 885 mg/m ³ , 300 ppm TWA: 590 mg/m ³ , 200 ppm	
TLV (USA)	STEL: 300 ppm TWA: 200 ppm BEI	
108-65-6 2-me	thoxy-1-methylethyl acetate	
EL (Canada)	STEL: 75 ppm TWA: 50 ppm	
EV (Canada)	TWA: 270 mg/m ³ , 50 ppm	
WEEL (USA)	TWA: 50 ppm	
Ingredients w	ith biological limit values:	
67-63-0 propa	n-2-ol	
BEI (USA) 40	mg/L	
	edium: urine	
	me: end of shift at end of workweek	
Ра	rameter: Acetone (background, nonspecific)	
67-64-1 acetor		
BEI (USA) 25		
	edium: urine	
	me: end of shift	
	arameter: Acetone (nonspecific)	
78-93-3 butan		
BEI (USA) 2		
	edium: urine	
	me: end of shift	
	arameter: Methyl ethyl ketone (nonspecific)	
Pa		
Pa Additional inf	formation: The lists that were valid during the creation were used as basis.	
Pa Additional inf Personal prot	ective equipment	
Additional inf Personal prot General prote	ective equipment ctive and hygienic measures:	
Pa Additional inf Personal prot General prote Keep away fro	ective equipment ective and hygienic measures: m foodstuffs, beverages and feed.	
Pa Additional inf <u>Personal prot</u> General prote Keep away fro Immediately re	ective equipment ctive and hygienic measures:	

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER - C101 STANDARD

(Contd. of page 5)

Store protective clothing separately.

- Avoid contact with the eyes and skin.
- Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves:

Butyl rubber, BR

Nitrile rubber, NBR • Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Form:	Liquid Under Pressure
· Color:	Colorless
· Odor:	Solvent-like
· Odor threshold:	Not determined.
· <u>pH-value:</u>	Not determined.
Change in condition	
Melting point/Melting range:	-95.3 °C
Boiling point/Boiling range:	>56 °C
· <u>Flash point:</u>	-104 °C (Prop. (-17 °C liq.))
· Flammability (solid, gaseous):	Extremely flammable liquefied gas.
· Ignition temperature:	210 °C
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits	
Lower:	0.5 Vol %
Upper:	13 Vol %
• <u>Vapor pressure at 20 °C:</u>	233 hPa
· Density at 20 °C:	0.8 g/cm ³
· Relative density:	Not determined.
 Vapor density at 20 °C: 	4.6 (AIR=1)
• Evaporation rate:	Not applicable.
	(Contd. on page 7)

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

			(Contd. of page 6
[•] <u>Solubility in / Miscibility with</u> Water:	<u>n</u> Partly miscible.		
· Partition coefficient (n-octan	ol/water): Not determined.		
[•] <u>Viscosity:</u> Dynamic: Kinematic:	Not determined. Not determined.		
• Other information	VOC Content: VOC %: HAP Content MIR Value	693.090 g/l >99 % 154.020 g/l 2.472 g O ₃ /g	

10 Stability and reactivity

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions: No dangerous reactions known.

· Conditions to avoid: No further relevant information available.

- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects:
- · Acute toxicity
- · Specific symptoms in biological assay: No further relevant information available.
- · Primary irritant effect
- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-63-0 propan-2-ol

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.

(Contd. on page 8)

3

[•] CA -

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

· Additional ecological information

- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water
- Do not allow product to reach ground water, water course or sewage system, even in small quantities.
- Danger to drinking water if even extremely small quantities leak into the ground.
- Other adverse effects: No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings

· Recommendation:

Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

· <u>UN-Number</u> · DOT/TDG, ADR, IMDG, IATA	UN1950	
· UN proper shipping name		
· DOT/TDG	Aerosols, flammable	
· ADR	1950 AEROSOLS	
· IMDG	AEROSOLS	
·IATA	AEROSOLS, flammable	
 <u>Transport hazard class(es)</u> DOT/TDG (Transport dangerous good 	s):	
· Class	2.1 Gases	
· Label		
	2.1 Gases	
· Label	2.1 Gases	

(Contd. of page 7)

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

	(Contd. of page
IMDG, IATA	
Class Label	2.1 Gases 2.1
<u>Packing group</u> DOT/TDG, ADR, IMDG, IATA	Not regulated
Environmental hazards: Marine pollutant:	No
Special precautions for user:	Warning: Gases
Hazard identification number (Kemler code	
EMS Number: Stowage Code	F-D,S-U SW1 Protected from sources of heat. SW22 For AEPOSOLS with a maximum connectity of 1 litr
	SW22 For AEROSOLS with a maximum capacity of 1 litro Category A. For AEROSOLS with a capacity above 1 litro Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 exceptor division 1.4. For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.
Transport/Additional information:	
DOT/TDG Quantity limitations	On passenger aircraft/rail: 75 kg
Remarks:	On cargo aircraft only: 150 kg This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shippin requirements are met.
ADR	This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shippin requirements are met.
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
IMDG	
Limited quantities (LQ)	
Excepted quantities (EQ)	Code: E0 Not normitted as Exponented Quantity
Remarks:	Not permitted as Excepted Quantity This product may be shipped according to the Limited Quantit
Avillar R3.	Exceptions provided that all Limited Quantity shippin requirements are met.
	(Contd. on page 1

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

(Contd. of page 9)

·IATA

· Remarks:

This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.

· UN "Model Regulation":

UN 1950 AEROSOLS, 2.1

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

· TSCA (Toxic Substances Control Act):

All ingredients are listed or exempted

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Canadian substance listings

· Canadian Domestic Substances List (DSL/NDSL):

All ingredients are listed.

· Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed.

• Canadian Ingredient Disclosure list (limit 1%):

67-63-0 propan-2-ol

67-64-1 acetone

78-93-3 butanone

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 11)

-CA-

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® SOLVENT CLEANER – C101 STANDARD

(Contd. of page 10) · Hazard pictograms GHS04 GHS07 GHS02 GHS08 · Signal word Danger · Hazard-determining components of labeling: propan-2-ol acetone butanone · Hazard statements H222-H229 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. H370 Causes damage to organs. H336 May cause drowsiness or dizziness.

16 Other information

This SDS format meets ANSI Z400.1-2010, OSHA 1910.1200 and WHMIS requirements. Kemper System America, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Kemper System America, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made. Kemper System America, Inc is an ISO 9001:2015 and ISO 14001:2015 registered company.

- · Department issuing SDS: Product safety department
- · <u>Contact:</u> Stephen Nowicki
- · Date of the latest revision of the safety data sheet 07/13/2022 / 2
- Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)



Printing date 07/13/2022

Reviewed on 07/13/2022

1 Identification

- · Product identifier: P101S-A
- · Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S SOLVENT REMOVABLE
- · Item number(s): P101S-A
- SDS Number: 36
- · UPC bar code(s): 699913-10020
- · Application of the substance / the mixture DYE PENETRANT
- **Manufacturer/Supplier:** WWW.CANTESCO.COM

USA ADDRESS: KEMPER SYSTEM AMERICA, INC. 1200 NORTH AMERICA DR, WEST SENECA, NY 14224 PH (716) 558-2971

CANADIAN ADDRESS: ASTARAS CANADA, INC. 4-7075 EDWARDS BLVD MISSISSAUGA, ONTARIO, L5S 1Z2 PH (905) 624-5463

- **Information department:** Tel: (716) 558-2971 ext. 228 www.cantesco.com
- Emergency telephone number: ChemTrec (800) 424-9300 / 1-(703)-741-5970 Canada only: CANUTEC (Call collect) (613) 996-6666

2 Hazard identification

Classification of the substance or mixture: GHS02 Flame		
Flammable Aerosols - Category 1	H222-H229	Extremely flammable aerosol. Pressurized container: may burst if heated.
GHS04 Gas cylinder		
Gases Under Pressure - Compressed Gas	H280	Contains gas under pressure; may explode if heated.
GHS08 Health hazard		
Carcinogenicity – Category 2	H351	Suspected of causing cancer. (Contd. on page 2)

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S – SOLVENT REMOVABLE

			(Contd. of page 1)
Specific Target Or Category 1	rgan Toxicity - Single Exposure -	H370-H371	Causes damage to the blood. May cause damage to the eyes.
	rgan Toxicity - Repeated Exposure -	Н372-Н373	Causes damage to the eyes through prolonged or repeated exposure. May cause damage to the lung and the respiratory tract through prolonged or repeated exposure.
Aspiration Hazard	- Category 1	H304	May be fatal if swallowed and enters airways.
GHS07			
Eye Irritation - Ca	tegory 2A	H319	Causes serious eye irritation.
Specific Target Or Category 3	rgan Toxicity - Single Exposure -	Н335-Н336	May cause respiratory irritation. May cause drowsiness or dizziness.
 <u>Label elements</u> GHS label elements Signal word: Dam 		d according to	o the Globally Harmonized System (GHS).
Proprietary Red D Hazard statemen H222-H229 Extre H280 Conta H319 Cause H351 Suspe H370-H371 Cause H355-H336 May o H372-H373 Cause and th H304 May b Precautionary sta P201 P202 P210 P211 P251 P260 P262 P264 P270 P271 P280 P301+P310 P331 P304+P312 P304+P340	ts: mely flammable aerosol. ins gas under pressure; may explode if es serious eye irritation. ected of causing cancer. es damage to the blood. May cause dam cause respiratory irritation. May cause des damage to the eyes through prolonged es damage to the eyes through prolonged of the respiratory tract through prolonged of the fatal if swallowed and enters airway atements: Obtain special instructions before use. Do not handle until all safety precaution Keep away from heat, hot surfaces smoking. Do not spray on an open flame or othe Do not pierce or burn, even after use. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on cloth Wash thoroughly after handling. Do not eat, drink or smoke when using Use only outdoors or in a well-ventila Wear protective gloves/protective clot If swallowed: Immediately call a docto Do NOT induce vomiting. IF INHALED: Call a POISON CENT IF INHALED: Remove person to frest	hage to the ey drowsiness or ged or repeated or repeated ex s. ons have beer , sparks, ope er ignition sou hing. g this product ted area. hing/eye prot or. ER/doctor if y h air and keep water for se	r dizziness. ed exposure. May cause damage to the lung posure. In read and understood. en flames and other ignition sources. No urce.
P308+P311	IF exposed or concerned: Call a docto		(Contd. on page 3)

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S – SOLVENT REMOVABLE

	(Contd. of page 2)
P314	Get medical advice/attention if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
 Information pe 	rtaining to particular dangers for man and environment:

• NFPA ratings (scale 0 - 4):



Health = 2 Fire = 4 Reactivity = 0

3 Composition/Information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous	· Dangerous components:	
64742-94-5	Solvent naphtha (petroleum), heavy arom.	60-80% w/w *
68476-86-8	Petroleum gases, liquefied, sweetened	10-30% w/w *
112-34-5	2-(2-butoxyethoxy)ethanol	10% w/w
	Proprietary Red Dye	1-5% w/w *
* Actual con	ocentration ranges are withheld as a trade secret	

* Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

· After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

Rinse opened eye for several minutes under running water.

- After swallowing: Rinse mouth, do not induce vomiting, Immediately call a poison center / doctor.
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-fighting measures

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture: No further relevant information available.

(Contd. on page 4)

- CA ----

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S – SOLVENT REMOVABLE

(Contd. of page 3)

• **Protective equipment:** No special measures required.

6 Accidental release measures

- <u>Personal precautions, protective equipment and emergency procedures:</u> Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
- Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· <u>Reference to other sections:</u>

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Ensure precautions are taken to eliminate potential sources of ignition during use. It is recommended to use static grounding and bonding equipment to eliminate static problems. Additionally, these products should never be applied on or near live circuits or energized equipment.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

· Storage

- Requirements to be met by storerooms and receptacles:
- Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• **Specific end use(s):** No further relevant information available.

8 Exposure controls/ Personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

CA —

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S – SOLVENT REMOVABLE

	(Contd. of page 4
· Components v	vith limit values that require monitoring at the workplace:
112-34-5 2-(2-)	butoxyethoxy)ethanol
TLV (USA) T	WA: 10* ppm
*]	Inhalable fraction and vapor
· Additional inf	ormation: The lists that were valid during the creation were used as basis.
· Personal prote	ective equipment
	ctive and hygienic measures:
	m foodstuffs, beverages and feed.
Wash hands be	fore breaks and at the end of work.
	ipment: Use suitable respiratory protective device in case of insufficient ventilation.
· Protection of h	
The glove mate	erial has to be impermeable and resistant to the product/ the substance/ the preparation.
· Material of glo	
Nitrile rubber,	
Butyl rubber, E	
· Eye protection	1:
Tigl	ntly sealed goggles
) Physical and	d chemical properties

· Form:	Liquid Under Pressure
· Color:	Dark red
· Odor:	Aromatic
· Odor threshold:	Not determined.
· <u>pH-value:</u>	Not determined.
· Change in condition	
Melting point/Melting range:	-68.3 °C
Boiling point/Boiling range:	>230 °C
· Flash point:	-104 °C (Prop. (28.3°C liq.))
[•] <u>Flammability (solid, gaseous):</u>	Extremely flammable liquefied gas.
· Ignition temperature:	227.8 °C
· Decomposition temperature:	Not determined.
• Auto igniting:	Product is not selfigniting.
[•] Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits	
Lower:	0.9 Vol %
Upper:	24.6 Vol %
· <u>Vapor pressure at 20 °C:</u>	70 hPa
· Density at 20 °C:	0.775 g/cm ³
· Relative density:	Not determined.
· Vapor density at 20 °C:	5.58 (AIR=1)

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S – SOLVENT REMOVABLE

			(Contd. of page 5)
· Evaporation rate:	Not applicable.		
· <u>Solubility in / Miscibility with</u> Water:	Emulsifiable.		
· Partition coefficient (n-octanol/wa	ter): Not determined.		
· <u>Viscosity:</u> Dynamic: Kinematic:	Not determined. Not determined.		
• Other information	VOC Content: VOC %: HAP Content: MIR Value:	763.954 g/l 99% (Wt) 6.133 g/l 5.946 g O ₃ /g	

10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects:
- · Acute toxicity
- · Primary irritant effect
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- · Additional ecological information
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 7)

CA -

(Contd. of page 6)

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S – SOLVENT REMOVABLE

Danger to drinking water if even small quantities leak into the ground. • Other adverse effects: No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings
- · Recommendation:

Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

TINI Nimme have		
<u>UN-Number</u> DOT/TDG, ADR, IMDG, IATA	UN1950	
UN proper shipping name		
DOT/TDG	Aerosols	
ADR	1950 AEROSOLS	
IMDG, IATA	AEROSOLS	
Transport hazard class(es)		
DOT/TDG (Transport dangerous good	s):	
Former and the second s		
Class	2.1 Gases	
Label	2.1	
ADR		
Class	2 Gases	
Label	2.1	
IMDG, IATA		
Class	2.1 Gases	
Label	2.1	
Packing group		
DOT/TDG, ADR, IMDG, IATA	Not regulated	

6) CA --

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S – SOLVENT REMOVABLE

	(Contd. of page		
<u>Environmental hazards:</u> Marine pollutant: Special marking (ADR):	No Symbol (fish and tree)		
Special precautions for user:	Warning: Gases		
Hazard identification number (Kemler EMS Number:	F-D,S-U		
• Stowage Code	SW1 Protected from sources of heat.		
Segregation Code	 SW22 For AEROSOLS with a maximum capacity of 1 litre Category A. For AEROSOLS with a capacity above 1 litre Category B. For WASTE AEROSOLS: Category C, Clear o living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 excep for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: 		
	Segregation as for the appropriate subdivision of class 2.		
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code:	II of Not applicable.		
Transport/Additional information:			
DOT/TDG			
Quantity limitations Remarks:	On passenger aircraft/rail: Forbidden On cargo aircraft only: Forbidden This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shipping requirements are met.		
ADR Excepted quantities (EQ)	This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shippin requirements are met. Code: E0 Not permitted as Excepted Quantity		
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity		
Remarks:	This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shipping		
	requirements are met.		
IATA Remarks:	requirements are met. This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shipping requirements are met.		

(Contd. on page 9)

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S – SOLVENT REMOVABLE

(Contd. of page 8)

٦

Regulatory information	
Safety, health and environmental regulations/legislation specific for the substance of	r mixture
No further relevant information available. Sara	
Sara Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
112-34-5 2-(2-butoxyethoxy)ethanol	
TSCA (Toxic Substances Control Act):	
All ingredients are listed or exempted	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Canadian substance listings	
Canadian Domestic Substances List (DSL/NDSL):	
All ingredients are listed.	
Canadian Non-Domestic Substances List (NDSL)	
None of the ingredients is listed.	
Canadian Ingredient Disclosure list (limit 0.1%):	
None of the ingredients is listed.	
Canadian Ingredient Disclosure list (limit 1%):	
112-34-5 2-(2-butoxyethoxy)ethanol	
GHS label elements The product is classified and labeled according to the Globally Harr	monized System (GHS)
Hazard pictograms	, ()
GHS02 GHS04 GHS07 GHS08	
Signal word Danger	
Hazard-determining components of labeling:	
Solvent naphtha (petroleum), heavy arom.	
Proprietary Red Dye Hazard statements	
H222-H229 Extremely flammable aerosol.	
H280 Contains gas under pressure; may explode if heated.	
H319 Causes serious eye irritation.	
H351 Suspected of causing cancer. H370-H371 Causes damage to the blood. May cause damage to the eyes.	
11570-11571 Causes damage to the blood. May cause damage to the eyes.	(Contd. on page 1

Printing date 07/13/2022

Reviewed on 07/13/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P101S – SOLVENT REMOVABLE

(Contd. of page 9)

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. H372-H373 Causes damage to the eyes through prolonged or repeated exposure. May cause damage to the lung and the respiratory tract through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

16 Other information

This SDS format meets ANSI Z400.1-2010, OSHA 1910.1200 and WHMIS requirements. Kemper System America, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Kemper System America, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made. Kemper System America, Inc is an ISO 9001:2015 and ISO 14001:2015 registered company.

- · Department issuing SDS: Product safety department
- · Contact: Stephen Nowicki
- · Date of the latest revision of the safety data sheet 07/13/2022 / 1

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)